

**Bolt Pat EZ # GL # Width Hub #**

**ARCTIC CAT**

**note; wheel must be large enough to accept 6" diameter spacer at mounting surface**

A-Cat DVX90 2wd, 02-09 (f&r)	4/110	4110f or ws4110f	gl110f	1.5"	
A-Cat DVX90 2wd, 02-09 (f&r)	4/110	4110	gl110	2.5"	
A-Cat 150 Utility 2wd, 09 (f&r)	?				
A-Cat 150 Utility 2wd, 09 (f&r)	?				
A-Cat 250 2&4wd, 99-03 (f&r)	4/115		gl115ac	2.5"	
A-Cat 250 2&4wd, 99-03 (f&r)	4/115		gl115f	1.5"	
A-Cat 250i 2&4wd, 03-06 (f&r)	4/115	4115f		1.5"	
A-Cat 250i 2&4wd, 03-06 (f&r)	4/115	4115		2.5"	
A-Cat 250 2wd, 07-09 (f&r)	4/110	4110	gl110	2.5"	
A-Cat 250 2wd, 07-09 (f&r)	4/110	4110f or ws4110f	gl110f	1.5"	
A-Cat DVX250 2wd, 07-08 (f)	4/144	4144f	gl145f	1.5"	
A-Cat DVX250 2wd, 07-08 ®	4/110	4110	gl110	2.5"	
A-Cat DVX250 2wd, 07-08 ®	4/110	4110f or ws4110f	gl110f	1.5"	
A-Cat DVX300 2wd, 09-10 (f)	4/144	4144f	gl145f	1.5"	
A-Cat DVX300 2wd, 09-10 (r)	4/110	4110	gl110	2.5"	
A-Cat DVX300 2wd, 09-10 (r)	4/110	4110f or ws4110f	gl110f	1.5"	
A-Cat 300 2&4wd, 98-01 (f&r)	4/115		gl115ac	2.5"	
A-Cat 300 2&4wd, 98-01 (f&r)	4/115		gl115f	1.5"	
A-Cat 300i 2&4wd, 02-03 (f&r)	4/115	4115f		1.5"	
A-Cat 300i 2&4wd, 02-03 (f&r)	4/115	4115		2.5"	
A-Cat 366 2&4wd, '07-09 (f&r)	4/115	4115f		1.5"	
A-Cat 366 2&4wd, '07-09 (f&r)	4/115	4115		2.5"	
A-Cat 375 2&4wd, 02-03 (f&r)	4/115	4115f		1.5"	
A-Cat 375 2&4wd, 02-03 (f&r)	4/115	4115		2.5"	
A-Cat 400 2&4wd, 98-03 (f&r)	4/115		gl115ac	2.5"	
A-Cat 400 2&4wd, 98-03 (f&r)	4/115		gl115f	1.5"	
A-Cat 400i 2&4wd, 02-08 (f&r)	4/115	4115f		1.5"	
A-Cat 400i 2&4wd, 02-08 (f&r)	4/115	4115		2.5"	
A-Cat DVX400, 04-08 ®	4/110	4110	gl110	2.5"	1341/110(x)-rear
A-Cat DVX400, 04-08 ®	4/110	4110f or ws4110f	gl110f	1.5"	1341/110(x)-rear
A-Cat DVX400, 04-08 (f)	4/144	4144f	gl145f	1.5"	
A-Cat 454 2&4wd, 96-98 (f&r)	4/115		gl115ac	2.5"	
A-Cat 454 2&4wd, 96-98 (f&r)	4/115		gl115f	1.5"	
A-Cat 500 4x4, 98-99 (f&r)	4/115		gl115ac	2.5"	
A-Cat 500 4x4, 98-99 (f&r)	4/115		gl115f	1.5"	
A-Cat 500 4x4, 00-03 auto (f&r)	4/115	4115f		1.5"	
A-Cat 500 4x4, 00-03 auto (f&r)	4/115	4115		2.5"	
A-Cat 500i 4x4, 02-09 auto (f&r)	4/115	4115f		1.5"	
A-Cat 500i 4x4, 02-09 auto (f&r)	4/115	4115		2.5"	
A-Cat 550/550 HI EFI 4x4, 09 (f&r)	4/115	4115f		1.5"	
A-Cat 550/550 HI EFI 4x4, 09 (f&r)	4/115	4115		2.5"	
A-Cat 650i 4x4, .04-08 (f&r)	4/115	4115f		1.5"	
A-Cat 650i 4x4, 04-08 (f&r)	4/115	4115		2.5"	
Mudpro 650HI, 10 (f&r)	4/115	4115f		1.5"	
Mudpro 650HI, 10 (f&r)	4/115	4115		2.5"	
A-Cat 700i 4x4, 07-10 (f&r)	4/115	4115f		1.5"	
A-Cat 700i 4x4, 07-10 (f&r)	4/115	4115		2.5"	
Mudpro 700HI, 10 (f&r)	4/115	4115f		1.5"	
Mudpro 700HI, 10 (f&r)	4/115	4115		2.5"	
Mudpro 1000HI, 10 (f&r)	4/115	4115f		1.5"	

**Durablue, Inc.**

20521 Crescent Bay Dr.  
Lake Forest, CA 92630

949-770-5533  
fax 949-768-4273  
www.durablue.com

Mudpro 1000HI, 10 (f&r)	4/115	4115	2.5"
Prowler XT 550 , 09-10 (f&r)	4/115	utv4115	2.5"
Prowler XT 650, 09 (f&r)	4/115	utv4115	2.5"
Prowler XTX 700, 09-10 (f&r)	4/115	utv4115	2.5"
Prowler XTZ 1000, 09-10 (f&r)	4/115	utv4115	2.5"
Thundercat 1000 H2 SE, 09-10 (f&r)	4/115	4115f	1.5"
Thundercat 1000 H2 SE, 09-10 (f&r)	4/115	4115	2.5"
A-Cat TRV400 4x4, 06-10 (f&r)	4/115	4115f	1.5"
A-Cat TRV400 4x4, 06-10 (f&r)	4/115	4115	2.5"
A-Cat TRV500 4x4, 05-06/08 (f&r)	4/115	4115f	1.5"
A-Cat TRV500 4x4, 05-06/08 (f&r)	4/115	4115	2.5"
A-Cat TRV550 4x4, 09-10 (f&r)	4/115	4115f	1.5"
A-Cat TRV550 4x4, 09-10 (f&r)	4/115	4115	2.5"
A-Cat TRV650 4x4, 07-08 (f&r)	4/115	4115f	1.5"
A-Cat TRV650 4x4, 07-08 (f&r)	4/115	4115	2.5"
A-Cat TRV700 4x4, 08-10 (f&r)	4/115	4115f	1.5"
A-Cat TRV700 4x4, 08-10 (f&r)	4/115	4115	2.5"
A-Cat TRV1000 4x4, 09 (f&r)	4/115	4115f	1.5"
A-Cat TRV1000 4x4, 09 (f&r)	4/115	4115	2.5"

Arctic Cat notation; Use GL for bolt-on wheel, EZ for stud & nut type

### CanAm

**note; wheel must be large enough to accept 6" diameter spacer at mounting surface**

<b>ds50, 05-07 (f&amp;r)</b>	<b>4/110</b>	<b>4110fc or ws4110fc</b>	<b>1.5"</b>
<b>ds50, 05-07 (f&amp;r)</b>	<b>4/110</b>	<b>4110fc or ws4110fc</b>	<b>1.5"</b>
<b>ds70, 08-10 (f&amp;r)</b>	<b>4/110</b>	<b>4110fc or ws4110fc</b>	<b>1.5"</b>
<b>ds70, 08-10 (f&amp;r)</b>	<b>4/110</b>	<b>4110fc or ws4110fc</b>	<b>1.5"</b>
<b>ds90, 02-10 (f&amp;r)</b>	<b>4/110</b>	<b>4110fc or ws4110fc</b>	<b>1.5"</b>
<b>ds90x, 09-10 (f&amp;r)</b>	<b>4/110</b>	<b>4110fc or ws4110fc</b>	<b>1.5"</b>
<b>ds90x, 09-10 (f&amp;r)</b>	<b>4/110</b>	<b>4110fc or ws4110fc</b>	<b>1.5"</b>
ds250, 06-10 (f&r)	4/110	4110f or ws4110f	1.5"
ds450, 08-10 (f)	4/144	4144fc	1.5"
ds450, 08-10 (r)	4/110	4110fc or ws4110fc	1.5"
ds450x-mx, 09-10 (f)	4/144	4144fc	1.5"
ds450x-mx, 09-10 (r)	4/110	4110fc or ws4110fc	1.5"
ds450x-xc, 09-10 (f)	4/144	4144fc	1.5"
ds450x-xc, 09-10 (r)	4/110	4110fc or ws4110fc	1.5"
ds650/BajaX, 00-07 (f&r)	4/143	4143f	1.5"
Outlander 330, 03-09 (f&r)	4/137	4137	2.5"
Outlander 330, 03-09 (f&r)	4/137	4137f	1.5"
Outlander 400, 03-10 (f&r)	4/137	4137	2.5"
Outlander 400, 03-10 (f&r)	4/137	4137f	1.5"
Outlander 450, 07-09 (f&r)	4/137	4137	2.5"
Outlander 450, 07-09 (f&r)	4/137	4137f	1.5"
Outlander 500, 07-10 (f&r)	4/137	4137	2.5"
Outlander 500, 07-10 (f&r)	4/137	4137f	1.5"
Outlander 650, 06-10 (f&r)	4/137	4137	2.5"
Outlander 650, 06-10 (f&r)	4/137	4137f	1.5"
Outlander 800, 06-10 (f&r)	4/137	4137	2.5"
Outlander 800, 06-10 (f&r)	4/137	4137f	1.5"
Quest 500, 4wd 00-05 (f&r)	4/110	4110fc or ws4110fc	1.5"
Quest 650, 4wd 00-05 (f&r)	4/110	4110fc or ws4110fc	1.5"
Renegade 500/800, 07-10 (f&r)	4/137	4137	2.5"
Renegade 500/800, 07-10 (f&r)	4/137	4137f	1.5"

### **Durablue, Inc.**

20521 Crescent Bay Dr.  
Lake Forest, CA 92630

949-770-5533  
fax 949-768-4273  
www.durablue.com

Traxster Max 500, 4wd 99-05 (f&r)	4/110	4110fc or ws4110fc		1.5"
-----------------------------------	-------	--------------------	--	------

**CANNONDALE**

all, 01/03 (f)	4/144	4144f	gl145f	1.5"
all, 01/03 (r)	4/110	4110	gl110	2.5"
all, 01/03 (r)	4/110	4110f or ws4110f	gl110f	1.5"

spacers may require aftermarket rear wheels

**COBRA**

ECX80, 09 (f)	?			
ECX80, 09 (r)	?			
ECX70, 09 (f)	?			
ECX70, 09 (r)	?			
ECX50, 09 (f)	?			
ECX50, 09 (r)	?			

**E-TON**

**note; wheel must be large enough to accept 6" diameter spacer at mounting surface**

Viper rxl50, 98-07 (f&r)	4/110	4110f or ws4110f		1.5"
Viper rxl50, 98-07 (f&r)	4/110	4110		2.5"
Viper 70, 08 (f&r)	4/110	4110f or ws4110f		1.5"
Viper 70, 08 (f&r)	4/110	4110		2.5"
Viper 90, 98-08 (f&r)	4/110	4110f or ws4110f		1.5"
Viper 90, 98-08 (f&r)	4/110	4110		2.5"
Viper 150, '08 (f)	4/156	4156f		1.5"
Viper 150, '08 (r)	4/110	4110f or ws4110f		1.5"
Viper 150, '08 (r)	4/110	4110		2.5"
Yukon 150, 98-08 (f)	4/156	4156f		1.5"
Yukon 150, 98-08 (r)	4/110	4110f or ws4110f		1.5"
Yukon 150, 98-08 (r)	4/110	4110		2.5"
Vector 250, 08 (f&r)	4/110	4110f or ws4110f		1.5"
Vector 250, 08 (f&r)	4/110	4110		2.5"

**GAS-GAS**

Q-Wild HP, 300/400fs/450fs 03-06 (f)	4/144	4144f	gl145f	1.5"
Q-Wild HP, 300/400fs/450fs 03-06 (r)	4/110	4110f or ws4110f		1.5"
Q-Wild HP, 300/400fs/450fs 03-06 (r)	4/110	4110	gl110	2.5" 20-1334(x)-rear

**HONDA**

**note; wheel must be large enough to accept 6" diameter spacer at mounting surface**

trx70, 86-87 (f)	4/110	4110f or ws4110f		1.5"
trx70, 86-87 (r)	3/100	3100		2.5"
trx90(ex), 93-08/trx90x, 09-10 (f&r)	4/85	4085		2.5"
trx90(ex), 93-08/trx90x, 09-10 (f&r)	4/85	4085f		1.5"
atc90/110, thru 81 (r)	3/100	3100	gl303	2.5"
atc110/125/125m, 82-87 (r)	4/130	4130	gl130	2.5"
trx125, 87-88 (f)	4/85	4085f		1.5"
trx125, 85-88 (r)	4/130	4130		2.5"
atc185s, thru 81 (r)	3/100	3100	gl303	2.5"
atc185s, 82-84 (r)	4/130	4130	gl130	2.5"
atc200s, 84-85 (r)	4/130	4130		2.5"

***Durablue, Inc.***

20521 Crescent Bay Dr.  
Lake Forest, CA 92630

949-770-5533  
fax 949-768-4273  
www.durablue.com

atc200x, 83-87 (r)	4/110	4110	gl110	2.5"	20-1334(x)-rear
atc200x, 83-87 (r)	4/110	4110f or ws4110f	gl110f	1.5"	20-1334(x)-rear
trx200, 90-93, 96-97 (f&r)	4/110	4110f or ws4110f		1.5"	
trx200, 90-93, 96-97 (f&r)	4/110	4110		2.5"	
trx200sx, 86-88 (r)	4/110	4110		2.5"	
trx200sx, 86-88 (r)	4/110	4110f or ws4110f	gl110f	1.5"	
atc250 Big Red, 85 (r)	4/110	4110	gl110	2.5"	20-1334(x)-rear
atc250 Big Red, 85 (r)	4/110	4110f or ws4110f	gl110f	1.5"	20-1334(x)-rear
trx250 Big Red, 86-87 (f&r)	4/110	4110f or ws4110f		1.5"	20-1334(x)-rear
trx250 Big Red, 86-87 (f&r)	4/110	4110	gl110	2.5"	20-1334(x)-rear
atc250sx, 85-87 (r)	4/110	4110		2.5"	
atc250sx, 85-87 (r)	4/110	4110f or ws4110f	gl110f	1.5"	
atc250r, 81 (r)	3/100	3100	gl303	2.5"	
atc250r, 82 (r)	4/130	4130	gl130	2.5"	
atc250r, 83-84 (r)	4/110	4110	gl110	2.5"	20-1334(x)-rear
atc250r, 83-84 (r)	4/110	4110f or ws4110f	gl110f	1.5"	20-1334(x)-rear
atc250r, 85-86 (r)	4/110	4110	gl110	2.5"	20-1331(x)-rear
atc250r, 85-86 (r)	4/110	4110f or ws4110f	gl110f	1.5"	20-1331(x)-rear
trx250r, 86-89 (f)	4/144	4144f	gl145f	1.5"	
trx250r, 86-89 (r)	4/110	4110	gl110	2.5"	20-1331(x)-rear
trx250r, 86-89 (r)	4/110	4110f or ws4110f	gl110f	1.5"	20-1331(x)-rear
trx250x, 86-87 (f&r)	4/110	4110f or ws4110f	gl110f	1.5"	20-1334(x)-rear
trx250x, 86-87 (f&r)	4/110	4110	gl110	2.5"	20-1334(x)-rear
trx250x, 88, 90-92 (f)	4/144	4144f	gl145f	1.5"	
trx250x, 86-92 (f&r)	4/110	4110	gl110	2.5"	20-1334(x)-rear
trx250x, 86-92 (f&r)	4/110	4110f or ws4110f	gl110f	1.5"	20-1334(x)-rear
Recon 250, 97-10 (f&r)	4/110	4110f or ws4110f		1.5"	20-1334(x)-rear
Recon 250, 97-10 (f&r)	4/110	4110		2.5"	
trx250ex, 00-08/trx250x, 09-10 (f)	4/144	4144f	gl145f	1.5"	
trx250ex, 00-08/trx250x, 09-10 (r)	4/110	4110f or ws4110f	gl110f	1.5"	20-1334x-rear
trx250ex, 00-08/trx250x, 09-10 @	4/110	4110	gl110	2.5"	20-1334x-rear
trx300ex, 93-08/trx300x, 09-10 (f)	4/144	4144f	gl145f	1.5"	
trx300ex, 93-08/trx300x, 09-10 @	4/110	4110	gl110	2.5"	20-1334x-rear
trx300ex, 93-08/trx300x, 09-10 (r)	4/110	4110f or ws4110f	gl110f	1.5"	20-1334x-rear
trx300 2&4wd, 88-00 (f&r)	4/110	4110f or ws4110f		1.5"	
trx300 2&4wd, 88-00 (f&r)	4/110	4110	gl110	2.5"	20-1334(x)-rear
atc350x, 85-86 (r)	4/110	4110	gl110	2.5"	20-1331(x)-rear
atc350x, 85-86 (r)	4/110	4110f or ws4110f	gl110f	1.5"	20-1331(x)-rear
trx350 4wd, 86-92 (f&r)	4/110	4110f or ws4110f		1.5"	
trx350 4wd, 86-92 (f&r)	4/110	4110		2.5"	
Foreman 400 4wd, 96-06 (f&r)	4/110	4110f or ws4110f		1.5"	
Foreman 400 4wd, 96-06 (f&r)	4/110	4110		2.5"	
Foreman 450s/es 4wd, 98-04 (f&r)	4/110	4110f or ws4110f		1.5"	
Foreman 450s/es 4wd, 98-04 (f&r)	4/110	4110		2.5"	
Foreman 500s/es 4wd, 05-10 (f&r)	4/110	4110f or ws4110f		1.5"	
Foreman 500s/es 4wd, 05-10 (f&r)	4/110	4110		2.5"	
Rancher 350s/es, 2&4wd, 00-06 (f&r)	4/110	4110f or ws4110f		1.5"	
Rancher 350s/es, 2&4wd, 00-06 (f&r)	4/110	4110		2.5"	
Rancher 400/420, 4wd 04-10 (f&r)	4/110	4110f or ws4110f		1.5"	
Rancher 400/420, 4wd 04-10 (f&r)	4/110	4110		2.5"	
Rubicon 500 4wd, 01-10 (f&r)	4/110	4110f or ws4110f		1.5"	
Rubicon 500 4wd, 01-10 (f&r)	4/110	4110		2.5"	
Rincon 650 4wd, 03-07 (f&r)	4/110	4110f or ws4110f		1.5"	
Rincon 650 4wd, 03-07 (f&r)	4/110	4110		2.5"	
Rincon 675 4wd, 09-10 (f&r)	4/110	4110f or ws4110f		1.5"	

Rincon 675 4wd, 09-10 (f&r)	4/110	4110		2.5"	
Rincon 700 4wd, 06-08 (f&r)	4/110	4110f or ws4110f		1.5"	
Rincon 700 4wd, 06-08 (f&r)	4/110	4110		2.5"	
trx400ex, 99-08/trx400x, 09-10 (f)	4/144	4144f	gl145f	1.5"	
trx400ex, 99-08/trx400x, 09-10 ®	4/110	4110	gl110	2.5"	20-1334x-rear
trx400ex, 99-08/trx400x, 09-10 (r)	4/110	4110f or ws4110f	gl110f	1.5"	20-1334x-rear
trx450r, 04-10 (f)	4/144	4144f	gl145f	1.5"	
trx450r, 04-10 (r)	4/110	4110	gl110	2.5"	
trx450r, 04-10 (r)	4/110	4110f or ws4110f	gl110f	1.5"	
trx700xx, 08-10 (f&r)	4/144	4144f	gl145f	1.5"	
Odyssey, 77-81 (f&r)	3/100	3100	gl303	2.5"	
Odyssey, 85-86 (r)	4/130	4130	gl130	2.5"	
Odyssey, 85-86 (f)	4/110	4110f or ws4110f		1.5"	
Pilot, 89-90 (f)	4/110	4110f or ws4110f		1.5"	
Pilot, 89-90 (r)	4/130	4130	gl130	2.5"	
Big Red, 09-10 (f&r)	4/110	utv4110h		2.5"	

**KASEA**

**note; wheel must be large enough to accept 6" diameter spacer at mounting surface**

<b>Skyhawk/Outback 50, 98-08 (f)</b>	<b>4/110</b>	<b>4110f or ws4110f</b>		<b>1.5"</b>	
<b>Skyhawk/Outback 50, 98-08 (r)</b>	<b>4/100</b>	<b>4100</b>	<b>gl100</b>	<b>2.5"</b>	
<b>Skyhawk/Outback 90, 98-08 (f)</b>	<b>4/110</b>	<b>4110f or ws4110f</b>		<b>1.5"</b>	
<b>Skyhawk/Outback 90, 98-08 (r)</b>	<b>4/100</b>	<b>4100</b>	<b>gl100</b>	<b>2.5"</b>	
Skyhawk 170, 98-08 (f)	4/156	4156f	gl155f	1.5"	
Skyhawk 170, 98-08 (r)	4/100	4100	gl100	2.5"	
Skyhawk 250, 98-08 (f)	4/156	4156f	gl155f	1.5"	
Skyhawk 250, 98-08 (r)	4/100	4100	gl100	2.5"	

**KAWASAKI**

**note; wheel must be large enough to accept 6" diameter spacer at mounting surface**

<b>kfx50, 02-09 (f&amp;r)</b>	<b>3/100</b>	<b>3100-8</b>		<b>2.5"</b>	
<b>kfx80, 03-06 (f&amp;r)</b>	<b>3/120</b>	<b>3120</b>	<b>gl315</b>	<b>2.5"</b>	front installation requires modification of fender brackets
<b>kfx 90, 07-10 (f&amp;r)</b>	<b>4110</b>	<b>4110f or ws4110f</b>		<b>1.5"</b>	
<b>kfx 90, 07-10 (f&amp;r)</b>	<b>4110</b>	<b>4110</b>		<b>2.5"</b>	
klt110/160/185/200, all (r)	4/101		gl101	2.5"	
klt110/160/185/200, all (r)	4/101		gl101f	1.5"	
klf185 Bayou, 85-87 (r)	4/110	4110		2.5"	
klf220 Bayou, 88-03 (f)	4/110	4110f or ws4110f		1.5"	
klf220 Bayou, 88-03 (r)	4/137	4137		2.5"	
klf220 Bayou, 88-03 (r)	4/137	4137f		1.5"	
klf250 Bayou, 03-10 (f&r)	4/137	4137f		1.5"	
klf250 Bayou, 03-10 (f&r)	4/137	4137		2.5"	
klf300 2&4wd Bayou, 85-04 (f&r)	4/137	4137f		1.5"	
klf300 2&4wd Bayou, 85-04 (f&r)	4/137	4137		2.5"	
klf300 2&4wd Bayou, 89-04 (f&r)	4/137	4137f		1.5"	
klf300 2&4wd Bayou, 89-04 (f&r)	4/137	4137		2.5"	
klf400 4wd Bayou, 93-05 (f&r)	4/137	4137f		1.5"	
klf400 4wd Bayou, 93-05 (f&r)	4/137	4137		2.5"	
klt250, 82-85 (r)	4/101		gl101f	1.5"	
klt250, 82-85 (r)	4/101		gl101	2.5"	
kxt250 Tecate, 84 (r)	4/101		gl101f	1.5"	
kxt250 Tecate, 84 (r)	4/101		gl101	2.5"	
kxt250 Tecate, 85-87 (r)	4/156	4156	gl155	2.5"	
kxt250 Tecate4, 87-88 (f&r)	4/156	4156	gl155	2.5"	

***Durablue, Inc.***

20521 Crescent Bay Dr.  
Lake Forest, CA 92630

949-770-5533  
fax 949-768-4273  
www.durablue.com

kxt250 Tecate4, 87-88 (f&r)	4/156	4156f	gl155f	1.5"	
ksf250 Mojave, 87-06 (f&r)	4/156	4156	gl155	2.5"	
ksf250 Mojave, 87-06 (f&r)	4/156	4156f	gl155f	1.5"	
klf300b Lakota, 95-00 (f&r)	4/156	4156f	gl155f	1.5"	
klf300b Lakota, 95-00 (f&r)	4/156	4156	gl155	2.5"	
Prairie 300 2&4wd, 99-05 (f&r)	4/137	4137f		1.5"	
Prairie 300 2&4wd, 99-05 (f&r)	4/137	4137		2.5"	
Prairie 360 2&4wd, 03-10 (f&r)	4/137	4137f		1.5"	
Prairie 360 2&4wd, 03-10 (f&r)	4/137	4137		2.5"	
Prairie 400 2&4wd, 97-05 (f&r)	4/137	4137f		1.5"	
Prairie 400 2&4wd, 97-05 (f&r)	4/137	4137		2.5"	
kvf650 Prairie 4wd, 97-03 (f&r)	4/137	4137f		1.5"	
kvf650 Prairie 4wd, 97-03 (f&r)	4/137	4137		2.5"	
kvf700 Prairie 4wd, 04-07 (f)	4/137	4137f		1.5"	
kvf700 Prairie 4wd, 04-07 (r)	4/137	4137		2.5"	
kvf700 Prairie 4wd, 04-07 (r)	4/137	4137f		1.5"	
kfx400, 03-06 (f)	4/144	4144f	gl145f	1.5"	
kfx400, 03-06 (r)	4/110	4110f or ws4110f	gl110f	1.5"	1341/110(x)-rear
kfx400, 03-06 (r)	4/110	4110	gl110	2.5"	1341/110(x)-rear
kfx450(r), 08-10 (f)	4/144	4144f	gl145f	1.5"	
kfx450(r), 08-10 (r)	4/110	4110f or ws4110f	gl110f	1.5"	
kfx450(r), 08-10 (r)	4/110	4110	gl110	2.5"	
kfx700 V-Force, 03-09 (f)	4/144	4144f		1.5"	
kfx700 V-Force, 03-09 (r)	4/137	4137		2.5"	
kfx700 V-Force, 04-09 (r)	4/137	4137f		1.5"	
Brute Force 650/700 4wd, 00-06 (f&r)	4/137	4137		2.5"	
Brute Force 650/700 4wd, 00-06 (f&r)	4/137	4137f		1.5"	
Brute Force 650 4wd, 03-10 (f&r)	4/137	4137f		1.5"	
Brute Force 650 4wd, 03-10 (f&r)	4/137	4137		2.5"	
Brute Force 650 4wd IRS, 06-10 (f&r)	4/110	4110f or ws4110f		1.5"	
Brute Force 650 4wd IRS, 06-10 (f&r)	4/110	4110		2.5"	
Brute Force 750 4wd IRS, 05-10 (f&r)	4/110	4110f or ws4110f		1.5"	
Brute Force 750 4wd IRS, 05-10 (f&r)	4/110	4110		2.5"	
Teryx 4wd, '09-10 (f&r)	4/137	utv4137		2.5"	
Mule 500, (f&r)	4/137	utv4137		2.5"	
Mule 600, (f&r)	4/137	utv4137		2.5"	
Mule 610, (f&r)	4/137	utv4137		2.5"	
Mule 1000/2500, (f&r)	4/137	utv4137		2.5"	
Mule 3000, (f&r)	4/137	utv4137		2.5"	
Mule 4000, (f&r)	4/137	utv4137		2.5"	
Mule 4100, (f&r)	4/137	utv4137		2.5"	
<b>KTM</b>					
450xc/525xc, '08-09 (f)	4/156	4156f		1.5"	
450xc/525xc, '08-09 (r)	4/110	4110		2.5"	
450xc/525xc, '08-09 (r)	4/110	4110f or ws4110f		1.5"	
450sx/505sx, '09 (f)	4/156	4156f		1.5"	
450sx/505sx, '09 (r)	4/110	4110		2.5"	
450sx/505sx, '09 (r)	4/110	4110f or ws4110f		1.5"	
<b>KYMCO</b>					
Mongoose 50, 06-09 (f&r)	4/110	4110fk		1.5	20-1334(x)-rear
Mongoose 50, 06-09 (f&r)	4/110	4110k		2.5	20-1334(x)-rear

**Durablue, Inc.**

20521 Crescent Bay Dr.  
Lake Forest, CA 92630

949-770-5533  
fax 949-768-4273  
www.durablue.com

Mongoose 70, 08 (f&r)	4/110	4110fk		1.5	20-1334(x)-rear
Mongoose 70, 08 (f&r)	4/110	4110k		2.5	20-1334(x)-rear
Mongoose 90, 06-09 (f&r)	4/110	4110fk		1.5	20-1334(x)-rear
Mongoose 90, 06-09 (f&r)	4/110	4110k		2.5	20-1334(x)-rear
Mongoose 250, 06-09 (f)	4/144	4144f	gl145f	1.5"	
Mongoose 250, 06-09 (r)	4/110	4110f or ws4110f		1.5"	20-1334(x)-rear
Mongoose 250, 06-09 (r)	4/110	4110	gl110	2.5"	20-1334(x)-rear
Mongoose 300, 08-09 (f)	4/144	4144f	gl145f	1.5"	20-1334(x)-rear
Mongoose 300, 08-09 (r)	4/110	4110f or ws4110f		1.5"	20-1334(x)-rear
Mongoose 300, 08-09 (r)	4/110	4110	gl110	2.5"	20-1334(x)-rear
Mxer 150, 06 (f&r)	4/110	4110fk		1.5	20-1334(x)-rear
Mxer 150, 06 (f&r)	4/110	4110k		2.5	20-1334(x)-rear
MXU150, 08 (f)	4/144	4144f	gl145f	1.5"	
MXU150, 08 (r)	4/110	4110f or ws4110f		1.5"	20-1334(x)-rear
MXU150, 08 (r)	4/110	4110	gl110	2.5"	20-1334(x)-rear
MXU250, 06-09 (f)	4/144	4144f	gl145f	1.5"	
MXU250, 06-09 (r)	4/110	4110f or ws4110f		1.5"	20-1334(x)-rear
MXU250, 06-09 (r)	4/110	4110	gl110	2.5"	20-1334(x)-rear
MXU300, 08-09 (f)	4/144	4144f	gl145f	1.5"	
MXU300, 08-09 ®	4/110	4110f or ws4110f		1.5"	20-1334(x)-rear
MXU300, 08-09 (r)	4/110	4110	gl110	2.5"	20-1334(x)-rear
MXU500, 08-09 (f)	4/144	4144f	gl145f	1.5"	
MXU500, 08-09 (r)	4/110	4110f or ws4110f		1.5"	20-1334(x)-rear
MXU500, 08-09 (r)	4/110	4110	gl110	2.5"	20-1334(x)-rear

**POLARIS**

ATP 330 4x4, 04-05 (f&r)	4/156	4156p	gl156f	1.5"	
ATP 330 4x4, 04-05 (f&r)	4/156	4156pw	gl156	2.5"	
Big Boss 4x6, 89-94 (f)	4/156	4156p	gl156f	1.5"	
Big Boss 4x6, 89-94 (r)	4/101		gl101	2.5"	20-1350-rear
Big Boss 4x6, 89-94 (r)	4/101		gl101f	1.5"	20-1350-rear
Big Boss/Magnum 6x6, 93-06 (f)	4/156	4156p	gl156f	1.5"	
Big Boss/Magnum 6x6, 93-06 (r)	4/101		gl101	2.5"	
Big Boss/Magnum 6x6, 93-06 (r)	4/101		gl101f	1.5"	
Cyclone, 86-02 (f)	4/156	4156p	gl156f	1.5"	
Cyclone, 86-02 (r)	4/101		gl101	2.5"	20-1350-rear
Cyclone, 86-02 (r)	4/101		gl101f	1.5"	20-1350-rear
Diesel 455 4wd, 99-06 (f&r)	4/156	4156p	gl156f	1.5"	
Diesel 455 4wd, 99-06 (f&r)	4/156	4156pw		2.5"	
Magnum 325 2&4wd, 00-05 (f)	4/156	4156p	gl156f	1.5"	
Magnum 325 2&4wd, 00-01 (r)	4/101		gl101f	1.5"	20-1350-rear
Magnum 325 2&4wd, 02-06 (r)	4/156	4156p	gl156f	1.5"	
Magnum 325 2&4wd, 02-06 (r)	4/156	4156pw	gl156	2.5"	
Magnum 425L 4wd, 95-98 (f)	4/156	4156p	gl156f	1.5"	
Magnum 425L 4wd, 95-98 (r)	4/101		gl101	2.5"	20-1350-rear
Magnum 425L 4wd, 95-98 (r)	4/101		gl101f	1.5"	20-1350-rear
Magnum 500 4wd, 99-05 (f)	4/156	4156p	gl156f	1.5"	
Magnum 500 4wd, 99-01 (r)	4/101		gl101	2.5"	20-1350-rear
Magnum 500 4wd, 99-01 (r)	4/101		gl101f	1.5"	20-1350-rear
Magnum 500 4wd, 92-05 (r)	4/156	4156p	gl156f	1.5"	
Magnum 500 4wd, 92-05 (r)	4/156	4156pw	gl156	2.5"	

**note; wheel must be large enough to accept 6" diameter spacer at mounting surface**

<b>Outlaw 90/50, 08-10 (f&amp;r)</b>	<b>4/110</b>	<b>4110p</b>	<b>gl110p</b>	<b>2.5"</b>	
Outlaw 450, 08-10 (f)	4/156	4156p	gl156f	1.5"	

**Durablue, Inc.**

20521 Crescent Bay Dr.  
Lake Forest, CA 92630

949-770-5533  
fax 949-768-4273  
www.durablue.com

Outlaw 450, 08-10 (r)	4/110	4110p		2.5"	
Outlaw 525 IRS/Str axle, 08-10 (f)	4/156	4156p	gl156f	1.5"	
Outlaw 525 IRS/Str axle, 08-10 (r)	4/110	4110p		2.5"	
Phoenix 200, 05-10 (f)	4/101		gl101f	1.5"	
Phoenix 200, 05-10 (r)	4/156	4156p	gl156f	1.5"	
Phoenix 200, 05-10 (r)	4/156	4156pw	gl156	2.5"	
Predator 500, 03-07 (f)	4/156	4156p	gl156f	1.5"	
Predator 500, 03 (r)	4/156	4156pw	gl156	2.5"	
Predator 500, 04-07 ®	4/110	4110p		2.5"	1350/110p-rear
Ranger 6x6, 98-10 (f&r)	4/156	utv4156		2.5"	
Ranger 4x4/XP/HD/Crew, '09-10 (f&r)	4/156	utv4156		2.5"	
RZR/S, 08-10 (f&r)	4/156	utv4156		2.5"	
RZR 170, 10 (f&r)	?				
Scrambler 50/90, 00-04 (f&r)-bolt on	4/110	4110fk		1.5"	
Scrambler 50/90, 00-04 (f&r)-bolt on	4/110	4110k		2.5"	
Scrambler 400L 2&4wd, 95-08 (f)	4/156	4156p	gl156f	1.5"	
Scrambler 400L 2&4wd, 95-08 (r)	4/101		gl101	2.5"	20-1350-rear
Scrambler 400L 2&4wd, 95-08 (r)	4/101		gl101f	1.5"	20-1350-rear
Scrambler 500 2&4wd, 97-10 (f)	4/156	4156p	gl156f	1.5"	
Scrambler 500 2&4wd, 97-10 ®	4/101		gl101	2.5"	20-1350-rear
Scrambler 500 2&4wd, 97-10 ®	4/101		gl101f	1.5"	20-1350-rear
Sport 400L 2wd, 94-99 (f)	4/156	4156p	gl156f	1.5"	
Sport 400L 2wd, 94-99 (r)	4/101		gl101f	1.5"	20-1350-rear
Sport 400L 2wd, 94-99 (r)	4/101		gl101	2.5"	20-1350-rear
<b>note; wheel must be large enough to accept 6" diameter spacer at mounting surface</b>					
<b>Sportsman 90, 03-10 (f&amp;r)</b>	<b>4/110</b>		<b>gl110fp</b>	<b>1.5"</b>	
<b>Sportsman 90, 03-10 (f&amp;r)</b>	<b>4/110</b>	<b>4110p</b>	<b>gl110p</b>	<b>2.5"</b>	
Sportsman 300 4wd, 08-10 (f&r)	4/156	4156p	gl156f	1.5"	
Sportsman 300 4wd, 08-10 (f&r)	4/156	4156pw	gl156	2.5"	
Sportsman 335 4wd, 99-06 (f&r)	4/156	4156p	gl156f	1.5"	
Sportsman 335 4wd, 99-06 (f&r)	4/156	4156pw	gl156	2.5"	
Sportsman 400 4wd, 95-98 (f)	4/156	4156p	gl156f	1.5"	
Sportsman 400 4wd, 95-98 (r)	4/101		gl101	2.5"	20-1350-rear
Sportsman 400 4wd, 95-98 (r)	4/101		gl101f	1.5"	20-1350-rear
Sportsman 400 4wd IRS, 01-09 (f&r)	4/156	4156p	gl156f	1.5"	
Sportsman 400 4wd IRS, 01-09 (f&r)	4/156	4156pw	gl156	2.5"	
Sportsman 400 HO, 10 (f&r)	4/156	4156p	gl156f	1.5"	
Sportsman 400 HO, 10 (f&r)	4/156	4156pw	gl156	2.5"	
Sportsman 500 4wd IRS, 96-09 (f&r)	4/156	4156p	gl156f	1.5"	
Sportsman 500 4wd IRS, 96-09 (f&r)	4/156	4156pw	gl156	2.5"	
Sportsman 500 EFI IRS, 09 (f&r)	4/156	4156p	gl156f	1.5"	
Sportsman 500 EFI IRS, 09 (f&r)	4/156	4156pw	gl156	2.5"	
Sportsman 500 X2, 09 (f&r)	4/156	4156p	gl156f	1.5"	
Sportsman 500 X2, 09 (f&r)	4/156	4156pw	gl156	2.5"	
Sportsman 500 HO/Tour., 10 (f&r)	4/156	4156p	gl156f	1.5"	
Sportsman 500 HO/Tour., 10 (f&r)	4/156	4156pw	gl156	2.5"	
Sportsman 550 XP EFI IRS, 09 (f&r)	4/156	4156f	gl155f	1.5"	
Sportsman 550 XP EFI IRS, 09 (f&r)	4/156	4156	gl155	2.5"	
Sportsman 550, 10 (f&r)	4/156	4156f	gl155f	1.5"	
Sportsman 550, 10 (f&r)	4/156	4156	gl155	2.5"	
Sportsman 550/550 EPS, 10 (f&r)	4/156	4156	gl155	2.5"	
Sportsman 550/550 EPS, 10 (f&r)	4/156	4156p	gl156f	1.5"	
Sportsman 550 X2, 10 (f&r)	4/156	4156p	gl156f	1.5"	
Sportsman 550 X2, 10 (f&r)	4/156	4156pw	gl156	2.5"	
Sportsman 600, 03-05 (f&r)	4/156	4156pw	gl156	2.5"	

Sportsman 700 4wd, 02-07 (f&r)	4/156	4156p	gl156f	1.5"	
Sportsman 700 4wd, 02-07 (f&r)	4/156	4156pw	gl156	2.5"	
Sportsman 800 4wd IRS, 05-09 (f&r)	4/156	4156p	gl156f	1.5"	
Sportsman 800 4wd IRS, 05-09 (f&r)	4/156	4156pw	gl156	2.5"	
Sportsman 800 X2, 09 (f&r)	4/156	4156p	gl156f	1.5"	
Sportsman 800 X2, 09 (f&r)	4/156	4156pw	gl156	2.5"	
Sportsman 800, 10 (f&r)	4/156	4156p	gl156f	1.5"	
Sportsman 800, 10 (f&r)	4/156	4156pw	gl156	2.5"	
Sportsman 800 6x6 Big Boss, 09-10	4/156	4156p	gl156f	1.5"	
Sportsman 800 6x6 Big Boss, 09-10	4/156	4156pw	gl156	2.5"	
Sportsman 850 EP EFI IRS, 09-10 (f&r)	4/156	4156f	gl155f	1.5"	
Sportsman 850 EP EFI IRS, 09-10 (f&r)	4/156	4156	gl155	2.5"	
Trl Boss/Trl Blzr 330, 86-10 (f)	4/156	4156p	gl156f	1.5"	20-1350-rear
Trl Boss/Trl Blzr 330, 86-10 (r)	4/101		gl101	2.5"	
Trl Boss/Trl Blzr 330, 86-10 (r)	4/101		gl101f	1.5"	20-1350-rear
Trl Boss 250/300 4wd, 87-95 (f)	4/156	4156p	gl156f	1.5"	20-1350-rear
Trl Boss 250/300 4wd, 87-95 (r)	4/101		gl101	2.5"	
Trl Boss 250/300 4wd, 87-95 (r)	4/101		gl101f	1.5"	
Trl Boss 2x4 325, 00-02 (f)	4/156	4156p	gl156f	1.5"	20-1350-rear
Trl Boss 2x4 325, 00-02 (r)	4/101		gl101f	1.5"	
Trl Boss 2x4 325, 00-02 (r)	4/101		gl101	2.5"	20-1350-rear
Trl Boss 330 2wd, 03-10 (f)	4/156	4156p	gl156f	1.5"	
Trl Boss 330 2wd, 03-10 (r)	4/101		gl101f	1.5"	20-1350-rear
Trl Boss 330 2wd, 03-10 (r)	4/101		gl101	2.5"	
Trl Boss 350 2wd, 09 (f)	?				
Trl Boss 350 2wd, 09 (r)	?				20-1350-rear
Trl Boss 350L/400L 2wd, 90-99 (f)	4/156	4156p	gl156f	1.5"	
Trl Boss 350L/400L 2wd, 90-99 @	4/101		gl101	2.5"	20-1350-rear
Trl Boss 350L/400L 2wd, 90-99 @	4/101		gl101f	1.5"	20-1350-rear
Trl Boss 350L/400L 4wd, 90-94 (f)	4/156	4156p	gl156f	1.5"	20-1350-rear
Trl Boss 350L/400L 4wd, 90-94 @	4/101		gl101	2.5"	
Trl Boss 350L/400L 4wd, 90-94 @	4/101		gl101f	1.5"	
Xpedition 325 4wd, 00-06 (f)	4/156	4156p	gl156f	1.5"	20-1350-rear
Xpedition 325 4wd, 00-06 (r)	4/101		gl101f	1.5"	
Xpedition 325 4wd, 00-06 (r)	4/101		gl101	2.5"	20-1350-rear
Xpedition 425 4wd, 99-06 (f)	4/156	4156p	gl156f	1.5"	20-1350-rear
Xpedition 425 4wd, 99-06 (r)	4/101		gl101	2.5"	
Xpedition 425 4wd, 99-06 (r)	4/101		gl101f	1.5"	
Xplorer 250 4wd, 00-02 (f)	4/156	4156p	gl156f	1.5"	20-1350-rear
Xplorer 250 4wd, 00-02 (r)	4/101		gl101	2.5"	
Xplorer 250 4wd, 00-02 (r)	4/101		gl101f	1.5"	20-1350-rear
Xplorer 300 2wd, 90-99 (f)	4/156	4156p	gl156f	1.5"	
Xplorer 300 2wd, 90-99 (r)	4/101		gl101	2.5"	20-1350-rear
Xplorer 300 2wd, 90-99 (r)	4/101		gl101f	1.5"	20-1350-rear
Xplorer 400L 4wd, 95-03 (f)	4/156	4156p	gl156f	1.5"	20-1350-rear
Xplorer 400L 4wd, 95-03 (r)	4/101		gl101	2.5"	
Xplorer 400L 4wd, 95-03 (r)	4/101		gl101f	1.5"	
Xplorer 500 4wd, 96-06 (f&r)	4/156	4156p	gl156f	1.5"	
Xplorer 500 4wd, 96-06 (f&r)	4/156	4156pw	gl156	2.5"	20-1350-rear
Xpress 300-400L 2wd, 96-99 (f)	4/156	4156p	gl156f	1.5"	20-1350-rear
Xpress 300-400L 2wd, 96-99 (r)	4/101		gl101	2.5"	
Xpress 300-400L 2wd, 96-99 (r)	4/101		gl101f	1.5"	

**SUZUKI**

lt50, 86-87 (f&r)	3/90	3090-8		2.5"	
lt80 Quadspport, 87-05 (r)	3/120	3120	gl315	2.5"	
z50 Quadspport, 06-09 (f&r)	3/100	3100-8		2.5"	
z90 Quadspport, 07-09 (f)	4/85	4085		2.5"	
z90 Quadspport, 07-09 (f)	4/85	4085f		1.5"	
z90 Quadspport, 07-09 (r)	3/120	3120		2.5"	
lt/alt 125, 83 (r)	3/100	3100		2.5"	
lt/alt 125f, 84-87 (r)	4/130	4130		2.5"	
lt185 Quadrunner, 83 (r)	4/130	4130		2.5"	
lt/alt 185, 84-87 (r)	4/130	4130		2.5"	20-1339-rear
lt230 Quadrunner, 85-86 (r)	4/130	4130	gl130	2.5"	20-1339-rear
lt230 eh/ej/ek, 87-89, 91-93 (f)	4/166		gl166	1.5"	
lt230 eh/ej/ek, 87 (r)	4/130	4130	gl130	2.5"	
lt230 eh/ej/ek, 88-89, 91-93 (r)	5/130	5130	gl5130q	2.5"	
lt230 Quadspport, 85-88 (f)	4/166		gl166	1.5"	20-1339-rear
lt230 Quadspport, 85-88 (r)	4/130	4130	gl130	2.5"	20-1339-rear
lt250 Quadspport, 89-90 (f)	4/166		gl166	1.5"	
lt250 Quadspport, 89-90 (r)	4/130	4130	gl130	2.5"	
lt250f Q-runner, 89-02 (f&r)	4/140	4140f		1.5"	
lt250f Q-runner, 89-02 (f&r)	4/140	4140		2.5"	
lt250 e/f/g Q-runner, 84-86 (r)	4130			2.5"	20-1339-rear
lt250r Quadracer, 85-92 (f)	4/166		gl166	1.5"	20-5130 ('88-92)-rear
lt250r Quadracer, 85-86 (r)	4/130	4130	gl130	2.5"	
lt250r Quadracer, 87-92 (r)	5/130	5130	gl5130q	2.5"	
ltf250 Q-rnr 4wd, 88-02 (f&r)	4/140	4140f		1.5"	
ltf250 Q-rnr 4wd, 88-02 (f&r)	4/140	4140		2.5"	
z250 Qsport 2wd, 02-09 (f)	4/144	4144f		1.5"	
z250 Qsport 2wd, 02-09 (r)	4/110	4110		2.5"	
z250 Qsport 2wd, 02-09 (r)	4/110	4110f or ws4110f		1.5"	
250 Ozark 2wd, 02-09 (f)	4/144	4144f		1.5"	
250 Ozark 2wd, 02-09 (r)	4/110	4110		2.5"	
250 Ozark 2wd, 02-09 (r)	4/110	4110f or ws4110f		1.5"	
lt300e Quadrunner, 87-90 (f)	4/130	4130		2.5"	
lt300eh Quadrunner, 87-88 (r)	4/130	4130		2.5"	
lt300ej Quadrunner, 89-90 (r)	5/130	5130		2.5"	
400 Eiger 2&4wd, 02-07 (f&r)	4/110	4110f or ws4110f		1.5"	
400 Eiger 2&4wd, 02-07 (f&r)	4/110	4110		2.5"	1341/110(x)-rear
z400 Qsport, 03-08 (f)	4/144	4144f	gl145f	1.5"	1341/110(x)-rear
z400 Qsport, 03-08 (r)	4/110	4110	gl110	2.5"	
z400 Qsport, 03-08 (r)	4/110	4110f or ws4110f	gl110f	1.5"	
lt-z400, '09 (f)	4/144	4144f	gl145f	1.5"	20-1337(x)-rear
lt-z400, '09 (r)	4/110	4110	gl110	2.5"	20-1337(x)-rear
lt-z400, '09 (r)	4/110	4110f or ws4110f	gl110f	1.5"	20-1337(x)-rear
lt-r450, 06-09 (f)	4/144	4144f	gl145f	1.5"	
lt-r450, 06-09 (r)	4/110	4110	gl110	2.5"	20-1337(x)-rear
lt-r450, 06-09 (r)	4/110	4110f or ws4110f	gl110f	1.5"	20-5130-rear
lt500r Quadracer, 87-90 (f)	4/166		gl166	1.5"	
lt500r Quadracer, 87-90 (r)	5/130	5130	gl5130q	2.5"	
500 Vinson 4x4, 02-06 (f&r)	4/110	4110f or ws4110f		1.5"	
500 Vinson 4x4, 02-06 (f&r)	4/110	4110		2.5"	
lt300 King Quad 4wd, 91-03 (f)	4/140	4140f		1.5"	
lt300 King Quad 4wd, 91-03 (f)	4/140	4140		2.5"	
400 King Quad 4wd, '08-09 (f&r)	4/110	4110f or ws4110f		1.5"	
400 King Quad 4wd, '08-09 (f&r)	4/110	4110		2.5"	
450 King Quad 4wd, '07-09 (f&r)	4/110	4110f or ws4110f		1.5"	

**Durablue, Inc.**

20521 Crescent Bay Dr.  
Lake Forest, CA 92630

949-770-5533  
fax 949-768-4273  
www.durablue.com

450 King Quad 4wd, '07-09 (f&r)	4/110	4110		2.5"
500 King Quad 4wd, 09 (f&r)	4/110	4110f or ws4110f		1.5"
500 King Quad 4wd, 09 (f&r)	4/110	4110		2.5"
700 King Quad 4wd, 06-08 (f&r)	4/110	4110f or ws4110f		1.5"
700 King Quad 4wd, 06-08 (f&r)	4/110	4110		2.5"
700 Twin Peaks 4wd, 04-06 (f&r)	4/110	4110		2.5"
700 Twin Peaks 4wd, 04-06 (f&r)	4/110	4110f or ws4110f		1.5"
750 King Quad 4wd, 06-09 (f&r)	4/110	4110f or ws4110f		1.5"
750 King Quad 4wd, 06-09 (f&r)	4/110	4110		2.5"

**YAMAHA**

**note; wheel must be large enough to accept 5" diameter spacer at mounting surface**

<b>Raptor 50, 04-08 (r)</b>	<b>3/90</b>	<b>3090-8</b>		<b>2.5"</b>
<b>Raptor 50, 04-08 (f)</b>	<b>4/88</b>	<b>4088-8</b>		<b>2.5"</b>
<b>yfm Badger 80e, 93-04 (r)</b>	<b>3/100</b>	<b>3100</b>		<b>2.5"</b>
<b>Raptor 80, 02-08 (r)</b>	<b>3/90</b>	<b>3090-8</b>		<b>2.5"</b>
<b>Raptor 80, 02-08 (f)</b>	<b>4/88</b>	<b>4088-8</b>		<b>2.5"</b>

**note; wheel must be large enough to accept 6" diameter spacer at mounting surface**

<b>Raptor 90, 09-10 (f&amp;r)</b>	<b>4/110</b>	<b>4110f</b>		<b>1.5"</b>	
<b>Raptor 90, 09-10 (f&amp;r)</b>	<b>4/110</b>	<b>4110</b>		<b>2.5"</b>	
Grizzly 80, 06-08 (r)	3/90	3090-8		2.5"	
Grizzly 80, 06-08 (f)	4/88	4088-8		2.5"	
yfm100t Moto-4, 87-90 (r)	4/100	4100	gl100	2.5"	
yfa125 Breeze, 89-04 (f&r)	4/85	4085		2.5"	
yfa125 Breeze, 89-04 (f&r)	4/85	4085f		1.5"	
yt125/175 Tri-Moto, 81-85 (r)	3/100	3100	gl303	2.5"	
Grizzly 125 2wd, 05-10 (f&r)	4/85	4085		2.5"	
Grizzly 125 2wd, 05-10 (f&r)	4/85	4085f		1.5"	
ytm200dx, 88-90 (r)	4/100	4100	gl100	2.5"	
ytm200dx, 88-90 (f)	4/156	4156f		1.5"	
ysf200 Blaster, 88-07 (f)	4/156	4156f	gl155f	1.5"	
ysf200 Blaster, 88-07 (r)	4/100	4100	gl100	2.5"	
ytm225 dx/dr Tri-Moto (r)	3/100	3100	gl303	2.5"	
yfm225 Moto-4, 85-87 (f)	4/156	4156f		1.5"	
yfm225 Moto-4, 85-87 (r)	4/125	4125		2.5"	
yfm250 Moto-4, 89 (f&r)	4/110	4110f or ws4110f		1.5"	
yfm250 Moto-4, 89 (f&r)	4/110	4110		2.5"	
yfb250d T-wolf 2wd, 92-94 (f)	4/156	4156f		1.5"	
yfb250d T-wolf 2wd, 95-98 (f)	4/110	4110f or ws4110f		1.5"	
yfb250d T-wolf 2wd, 92-98 (r)	4/110	4110		2.5"	
yfb250 T-wolf 4x4, 95-05 (f&r)	4/110	4110f or ws4110f		1.5"	
yfb250 T-wolf 4x4, 95-05 (f&r)	4/110	4110		2.5"	
BearTracker 250, 99-05 (f&r)	4/110	4110f or ws4110f		1.5"	
BearTracker 250, 99-05 (f&r)	4/110	4110		2.5"	
Big Bear 250 2wd, 06-09 (f&r)	4/110	4110f or ws4110f		1.5"	
Big Bear 250 2wd, 06-09 (f&r)	4/110	4110		2.5"	
Bruin 250, 05 (f&r)	4/110	4110f or ws4110f		1.5"	
Bruin 250, 05 (f&r)	4/110	4110		2.5"	
ytz250 Tri-z, 85-86 (r)	4/100	4100	gl100	2.5"	20-1340(x)-rear
yfz250 Raptor, 08-10 (f)	4/156	4156f	gl155f	1.5"	
yfz250 Raptor, 08-10 (r)	4/115	4115	gl115	2.5"	20-1340(x)-rear
yfm350xt Warrior, 87-04 (f)	4/156	4156f	gl155f	1.5"	
yfm350xt Warrior, 87-05 (r)	4/115	4115	gl115	2.5"	
yfm350 Wolverine, 95-09 (f&r)	4/110	4110f or ws4110f		1.5"	
yfm350 Wolverine, 95-09 (f&r)	4/110	4110		2.5"	

**Durablu, Inc.**

20521 Crescent Bay Dr.  
Lake Forest, CA 92630

949-770-5533  
fax 949-768-4273  
www.durablu.com

yfm450 Wolverine, 95-10 (f&r)	4/110	4110f or ws4110f		1.5"	
yfm450 Wolverine, 95-10 (f&r)	4/110	4110		2.5"	
yfz350t Banshee, 87-06 (f)	4/156	4156f	gl155f	1.5"	20-1340(x)-rear
yfz350t Banshee, 87-88, 91-06 @	4/115	4115	gl115	2.5"	
yfz350t Banshee, 89-06 (r)	4/156	4156	gl155	2.5"	
yfm350er Moto-4, 87-88 (f)	4/156	4156f		1.5"	
yfm350er Moto-4, 89-95 (f)	4/110	4110f or ws4110f		1.5"	
yfm350er Moto-4, 87-92 (r)	4/125	4125		2.5"	
yfm350er Moto-4, 93-95 (r)	4/110	4110f or ws4110f		1.5"	
yfm350er Moto-4, 93-95 (r)	4/110	4110		2.5"	
yfm350 Bruin 4wd, 04-06 (f&r)	4/110	4110f or ws4110f		1.5"	
yfm350 Bruin 4wd, 04-06 (f&r)	4/110	4110		2.5"	
yfm350 Big Bear 2wd, 96-05 (f&r)	4/110	4110f or ws4110f		1.5"	
yfm350 Big Bear 2wd, 96-05 (f&r)	4/110	4110		2.5"	
yfm350/400 Big Bear 4wd, 87-06 (f&r)	4/110	4110f or ws4110f		1.5"	
yfm350/400 Big Bear 4wd, 87-06 (f&r)	4/110	4110		2.5"	
350 Big Bear 4wd, 07-08 (f&r)	4/110	4110		2.5"	
350 Big Bear 4wd, 07-08 (f&r)	4/110	4110f or ws4110f		1.5"	
350 Grizzly 4wd IRS, 07-10 (f&r)	4/110	4110		2.5"	
350 Grizzly 4wd IRS, 07-10 (f&r)	4/110	4110f or ws4110f		1.5"	
350 Grizzly 2&4wd, 07-10 (f&r)	4/110	4110		2.5"	
350 Grizzly 2&4wd, 07-10 (f&r)	4/110	4110f or ws4110f		1.5"	
yfz350 Raptor, 04-10 (f)	4/156	4156f	gl155f	1.5"	20-1340(x)-rear
yfz350 Raptor, 04-10 (r)	4/115	4115	gl115	2.5"	
yfm400 Kodiak 2wd, 93-04 (f&r)	4/110	4110		2.5"	
yfm400 Kodiak 2wd, 93-04 (f&r)	4/110	4110f or ws4110f		1.5"	
yfm400/450 Kodiak 4wd, 03-04 (f&r)	4/110	4110		2.5"	
yfm400/450 Kodiak 4wd, 03-04 (f&r)	4/110	4110f or ws4110f		1.5"	
400 Big Bear 4wd IRS, 07-10 (f&r)	4/110	4110		2.5"	20-1340(x)-rear
400 Big Bear 4wd IRS, 07-10 (f&r)	4/110	4110f or ws4110f		1.5"	
yfz450, 04-09 (f)	4/156	4156f	gl155f	1.5"	
yfz450, 04-09 (r)	4/115	4115	gl115	2.5"	20-1340(x)-rear
yfz450x, 10 (f)	4/156	4156f	gl155f	1.5"	
yfz450x, 10 (r)	4/115	4115	gl115	2.5"	20-1340(x)-rear
yfz450r, 09-10 (f)	4/156	4156f	gl155f	1.5"	
yfz450r, 09-10 (r)	4/115	4115	gl115	2.5"	20-1340(x)-rear
450 Grizzly 4wd, 07-08 (f&r)	4/110	4110		2.5"	
450 Grizzly 4wd, 07-08 (f&r)	4/110	4110f or ws4110f		1.5"	
450 Grizzly 4wd IRS auto, 09 (f&r)	?				
450 Grizzly 4wd IRS auto, 09 (f&r)	?				
550 Grizzly 4wd IRS, 09-10 (f&r)	4/110	4110f or ws4110f		1.5"	
550 Grizzly 4wd IRS, 09-10 (f&r)	4/110	4110		2.5"	
yfm600 Grizzly 4wd, 98-01 (f&r)	4/110	4110		2.5"	
yfm600 Grizzly 4wd, 98-01 (f&r)	4/110	4110f or ws4110f		1.5"	
yfm660 Grizzly 4wd, 02-07 (f&r)	4/110	4110		2.5"	20-1340(x)-rear
yfm660 Grizzly 4wd, 02-07 (f&r)	4/110	4110f or ws4110f		1.5"	
yfm660r Raptor, 01-08 (f)	4/156	4156f	gl155f	1.5"	
yfm660r Raptor, 01-08 (r)	4/115	4115	gl115	2.5"	20-1340(x)-rear
yfm700 Raptor 06-10 (f)	4/156	4156f	gl155f	1.5"	
yfm700 Raptor 06-10 (r)	4/115	4115	gl115	2.5"	
yfm700 Grizzly 4wd IRS, 07-10 (f&r)	4/110	4110f or ws4110f		1.5"	
yfm700 Grizzly 4wd IRS, 07-10 (f&r)	4/110	4110		2.5"	
yfm450/700 Rhino, 04-10 (f&r)	4/110	ws4110f		1.5"	
yfm450/700 Rhino, 04-10 (f&r)	4/110	utv4110y		2.5"	

NOTE; All model wheel hubs are also available in 4/110 bolt pattern (as well as some other special combinations - please consult the price sheet).  
Graph-lite "EZ Fit" spacers do not require stud removal for installation. These must be used when access to the inside of the hub is limited. Use for superior fit and assembly.

Graph-lite "GL" spacers require that the studs be removed from the hub for installation and long "through bolts" (supplied) inserted in the stud hole.